of food and fodder. The restoration of the tank will be a boon to the raiyats.

*Reply of Government.*—The project is under consideration in the Public Works Department.

SUBJECT No. 448.

Repair of the Ramanaikankere tank.

Messrs. Attiganal Shamanna, Baba Sahib and Nandi Abdul Khadar Sahib of Tarikere Taluk.

The members were absent but others spoke.

*Summary of discussion.*—There are seven major tanks around Tarikere. In consequence of these tanks not receiving a sufficient supply of water, the wet and garden lands depending on them do not receive a sufficient supply of water and the consequence is that both the Government and the raiyats suffer. It is therefore requested that (1) Ramanaikankere may be restored and water led to it from Kalhattitirtha and (2) the Bhagavatikatte and Sunnadakere tanks may be repaired and water led from them to Ramanaikankere. This will have the effect of supplying water to all the tanks. The project has been investigated by the Public Works Department and only awaits sanction.

*Reply of Government.*—*Vide* Subject No. 449.

SUBJECT No. 449.

Water-supply to Tarikere.

Messrs. Sivappa of the Tarikere Municipal Board and U. Guru Rao of Tarikere Taluk.

*Summary of discussion.*—It is requested that water may be supplied to Tarikere by means of pipes. The Ramanaikankere tank may be restored and water from the Kalhattitirtha led to it through the Nagannanakere as also from Sunnadakere and Bhagavatikatte tanks and thence supplied to Tarikere. An estimate has been prepared and the proceedings of a meeting of the townspeople regarding the contribution payable therefor has also been sent up, but the work has not yet been taken in hand.

*Reply of Government.*—This and Subject No. 448 will be considered along with the next budget.

SUBJECT No. 450.

Water-supply to Chikmagalur.

Messrs. B. Janardanaiya and G Abdul Khalik of the Chikmagalur Municipal Board.

*Summary of discussion.*—The reservoir near the town of Chikmagalur can supply good filtered water for only eight or nine months in the year. During the hot months dirty water is led into the pipes. To ensure a sufficiently good supply of filtered water all round the year, it is requested that an anekat may be constructed across Bhutanvare and water conducted to the reservoir which may also be enlarged.

*Reply of Government.*—This will be enquired into early.

SUBJECT No. 451.

Repairing the Mahomedan musafirkhana at Chikmagalur.

Mr. G. Abdul Khalik of the Chikmagalur Municipal Board.

The member was absent but others spoke.

*Summary of discussion.*—The Mahomedan musafirkhana at Chikmagalur was erected after the model of the ancient Bijapur buildings at a cost of Rs. 30,000, and handed over to the care of the Municipality. This is the only building suited for the better class of Mahomedans to put up. For the last few years the building has been in disrepair; and unless immediate steps are taken to repair and preserve the